



# XIAMEN JOINT TECH. CO., LTD.

JOINT TECH, BORN FOR SUSTAINABLE ENERGY

🌐 <https://jointcharger.com>

✉ [info@jointcharger.com](mailto:info@jointcharger.com)

📍 No.98, South Dongfu Road, Haicang District, Xiamen, China



# EVC11 / LEVEL2

UP TO 80A



## DURABILITY

IP65 and IK08 protection ratings, allowing for indoors or outdoors.



## POWERFUL

Up to 80A / 19.2kW of charging capacity.



## CONNECTED

Complete with LAN connectivity (Wi-Fi or 4G optional), ensuring chargers are always online.



## CONVENIENT

Adjust power as needed, 80A-48A, 48A-16A.



## OCPP

OCPP 1.6J help you connect EV charger to the cloud.



## COMPATIBLE

SAE J1772 compliant, type 1 plug with 18ft cable.



Color:




# DATASHEET

Model No.	EVC11/16AC	EVC11/32AC	EVC11/40AC	EVC11/48AC	EVC11/70AC	EVC11/80AC
<b>Voltage</b>	208-240Vac					
<b>Amperage/Power</b>	16A/3.8KW	32A/7.6KW	40A/9.6KW	48A/11.5KW	70A/16.8KW	80A/19.2KW
<b>AC Power Frequency</b>	50-60Hz					
<b>User Authentication</b>	RFID ISO14443					
<b>Connectivity</b>	LAN / Wi-Fi standard, 4G optional					
	OCPP1.6J					
<b>Operating Temperature</b>	-22°F to 122°F					
<b>IP Level</b>	Nema 3					
<b>IK Rating</b>	IK08					
<b>Cable Length</b>	18ft (25ft optional)					
<b>Net Weight</b>	12.1lbs	12.1lbs	14.6lbs	15.7lbs	17.2lbs	17.2lbs
<b>Gross Weight</b>	14.6lbs	14.6lbs	17.0lbs	18.1lbs	19.6lbs	19.6lbs
<b>Product Dimensions</b>	14.2" x 9.8" x 3.9"					
<b>Package Dimensions</b>	19.6" x 13.7" x 9.3"				19.6" x 13.7" x 10.5"	



# OCPP 1.6J

Connected successfully with 50+ global EVC platforms





# DIMENSIONS



Package Dimensions  
19.6" x 13.7" x 9.3"



Package Dimensions  
19.6" x 13.7" x 10.5"