



XIAMEN JOINT TECH. CO., LTD.

JOINT TECH, BORN FOR SUSTAINABLE ENERGY

🌐 <https://jointcharger.com>

✉ info@jointcharger.com

📍 No.98, South Dongfu Road, Haicang District, Xiamen, China

EVL001 / LEVEL2

UP TO 48A



COMPLIANT

2+1 years extension warranty



Compatible with all EVs



9X faster than Level 1



Set off-peak charge mode



10 safety protections



Easy installation in 15 minutes




Weather-proof with IP66 and NEMA-4 standards



DATASHEET

Model No.	EVL001/09U2	EVL001/11U2
Voltage	208-240Vac	
Amperage/Power	9.6KW/40A	11.5KW/48A
Frequency	50-60HZ	
Input Cord	NEMA 14-50 or NEMA 6-50 Electrical Plug	/
	Hardwired by licensed electrician	
Charging Connector	SAE J1772 Type 1, NACS connector (Optional)	
Cable Length	18ft/25ft(Optional)	
User Authentication	RFID ISO14443 (Optional)	
Connectivity	WiFi & Bluetooth	
Operating Temperature	-30 °C to +50 °C	
Degree of protection	NEMA 4/IK10	
Warranty	2 year +1 year extension warranty	
Product Dimensions	8.6" x 8.6" x 3.7"	
Package Dimensions	12" x 16.4" x 10.6"	

DIMENSIONS



Package Dimensions
12" x 16.4" x 10.6"

EVL001 / LEVEL2

UP TO 48A



COMPLIANT

2+1 years extension warranty

